


Main Hall



General info

Public Entrance	Atlantisplein 1
Loading dock	Arcadia Left side of the building. Ramp available. *elevator available (1,4m x 3,3m)
Zip-code	1093 NE
City	Amsterdam
Telephone Front desk	020-7606780
Telephone Production	020-760678x
E-Mail Production	michiel@q-factory-amsterdam.nl
E-Mail Technical Staff	barry@q-factory-amsterdam.nl
Website	www.q-factory-amsterdam.nl
Capacity	Main Hall 900 pax
Sound Limit	Soundlevels are restricted by law to Leq = 103dB(A)/ 15 minutes. We expect engineers to respect this limit.
Stage	15m wide(11m effective), 4,5m deep, 1.1m high (Possibility to extend stage with 1m or 2m) Clearance Hall: 10m Clearance Stage: 9m

Parking

A Night liner can park next to the building, we can provide a parking permit.

16A 380v is available

Vans: We can provide a parking permit. Ask production in pre-production.

Cars: Parking in the nearby Q-Park (Polderweg) is advised.

Backstage

We've got one (Big) dressing room.


It's not allowed to smoke anywhere inside the building.

Other

Dinner In house restaurant. Own kitchen, healthy meals.

Special effects Any kind of special effects (Confetti, pyro, lasers e.t.c.) are prohibited, unless agreed in advance with production.

Main Hall



Sound

PA

Synco

Flown

08x Synco ML8C (Each side)

Sub

06x Synco RR Sub (Each side)

Frontfills

01x Synco CW152 (Each side)

Processor

XTA444 (Drive)

XTA224 (Array Crossover)

FoH

Desk

Midas Heritage 1000 36+4

FX:

1x Lexicon PCM80

1x Lexicon LPX15

1x Yamaha SPX990

1x TC-Electronics M2000

1x TC-Electronics D-Two

Dynamic's:

4ch Focusrite Compounder

8ch Behringer Composer

8ch Behringer Intelligate

Drive:

2x XTAGQ600

DiGiCo SD8 37 faders v987 (48kHz)

8 local In

8 Local Out

4 AES IO

2 MADI IO Pairs

DiGiRack

48 Analog inputs

24 Analog Outputs

DiGiCo On Request (if available)

Monitors

Desk

Yamaha M7CL 48in 16 out

10x Synco CW152 (Incl PFL)

02x Synco SW150

08x amp for CW152 (Incl PFL)

01x amp for SW150


Multi/Split

36ch Harting stagebox.

12ch Tielines for PA drive and
coms.

(PA Drive is Left, right, sub)

Main Hall



Q-FACTORY

Microphones

1x Shure Beta91
1x Shure Beta52
1x Shure KSM137
2x Shure KSM27SL
1x Shure Beta 56
4x Shure SM57
4x Shure Beta57
4x Shure SM58
4x Shure Beta58
4x Sennheiser e604
2x Sennheiser e409
1x Sennheiser md421
2x Oktava MK012
9x BSS AR133
1x AKG c535


DJ-Gear

(On Demand)
1x DJM900NXS
2x CDJ2000NXS2
2x Technics SL1200

Backline

(On Demand)
Yamaha Stage Custom,
Ludwig Classic Maple
Ampeg SVT 450/ 4x 10" cab
Fender Twin
Marshall MG100 / MG412A Top

Main Hall



Q-FACTORY

Light

Console

HES Roadhog3
(Avolites Tiger Touch 2 v11 +
external Touchscreen on
Request, if available)

Fixtures

08x Varilite VL2500 Spot
04x Varilite VL2500 Wash
04x Martin Atomic3000
08x 4-bar Par64 (Hall)
04x 4-bar Par64 (Stage)
12x 2KW Fresnell (Hall lights)
08x Source Four Profile (Front)
01x Smoke Factory Tourhazer 2
01x Rosco Smokemachine
Optional:
06 free dimmers on stage

Video

We've got a LED screen (7.12m
x 4m) (16:9). 3mm Pixelwith.
Controlled by a Novastar vx4s
video processor, and a Roland
V-1SDI Video Mixer at FoH.

Pixelmap: 1792 x 1024

Video Inputs:

FoH:
2x HDMI in
2x SDI in


Stage:

1x SDI in
1x Displayport
1x HDMI
2x DVI
2x VGA

Power

1x 125A 380v for all audio
1x 125A 380v for all Dimmers
1x 125A 380v for LEDscreen and
intelligent lights (1x 32A free in
the catwalk)
1x 63A 380v Free
1x 63A 380v Free(25A Loadable)
1x 16A 380v Free

1x16A 230v @ FoH
1x16A 230v @ Mon




Main Hall

DMX Plot

Q-FACTORY

Nr	Fixture	Mode	Adress	Location
101	Par64	Dimmer	1	LX 5 Side
102	Par64	Dimmer	2	LX 5 Side
103	Par64	Dimmer	3	LX 5 Side
104	Par64	Dimmer	4	LX 5 Side
105	Par64	Dimmer	5	LX 5 Mid
106	Par64	Dimmer	6	LX 5 Mid
107	Par64	Dimmer	7	LX 5 Mid
108	Par64	Dimmer	8	LX 5 Mid
109	Par64	Dimmer	9	LX 4 Side
110	Par64	Dimmer	10	LX 4 Side
111	Par64	Dimmer	11	LX 4 Side
112	Par64	Dimmer	12	LX 4 Side
113	Par64	Dimmer	13	LX 4 Mid
114	Par64	Dimmer	14	LX 4 Mid
115	Par64	Dimmer	15	LX 4 Mid
116	Par64	Dimmer	16	LX 4 Mid
117	Par64	Dimmer	17	
118	Par64	Dimmer	18	
119	Par64	Dimmer	19	
120	Par64	Dimmer	20	
121	Par64	Dimmer	21	
122	Par64	Dimmer	22	
123	Par64	Dimmer	23	
124	Par64	Dimmer	24	
125	Par64	Dimmer	25	
126	Par64	Dimmer	26	
127	Par64	Dimmer	27	
128	Par64	Dimmer	28	
129	Par64	Dimmer	29	
130	Par64	Dimmer	30	
131	Par64	Dimmer	31	
132	Par64	Dimmer	32	
133	Par64	Dimmer	33	
134	Par64	Dimmer	34	
135	Par64	Dimmer	35	
136	Par64	Dimmer	36	

Main Hall



Q-FACTORY

1	VL2500 Spot	Mode 1	101	LX 1
2	VL2500 Spot	Mode 1	123	LX 1
3	VL2500 Spot	Mode 1	145	LX 1
4	VL2500 Spot	Mode 1	168	LX 2
5	VL2500 Spot	Mode 1	189	LX 2
6	VL2500 Spot	Mode 1	211	LX 1
7	VL2500 Spot	Mode 1	233	LX 1
8	VL2500 Spot	Mode 1	255	LX 1
11	VL2500 Wash	Mode 1	277	LX 2
12	VL2500 Wash	Mode 1	292	LX 1
13	VL2500 Wash	Mode 1	307	LX 1
14	VL2500 Wash	Mode 1	322	LX 2
21	Atomic3000	4ch	401	LX 2
22	Atomic3000	4ch	405	LX 1
23	Atomic3000	4ch	409	LX 1
24	Atomic3000	4ch	413	LX 2
1001	Smoke Int	Dimmer	501	Stage
1002	Smoke Fan	Dimmer	502	Stage
1003	Haze Int	Dimmer	510	Stage
1004	Haze Fan	Dimmer	511	Stage